



POWER WAYLUBE SUPERIOR MACHINE TOOL WAY OILS

POWER WAYLUBE oils as name suggests are conventional superior performance machine tool way lubricants formulated from highly refined base stocks and fortified with anti-rust, tackiness and mild EP additives.

PERFORMANCE STANDARDS: ASLE standard W 315 and W 1000
Cincinnati Milacron specifications, P-47 and P-50

CHARACTERISTICS	POWER WAYLUBE	
	68	220
ISO VG	68	220
Kinematic Viscosity @ 40°C, cSt	61-75	198-242
Flash point, COC, °C, min	170	192
Pour point, °C, max	-6	-3
Rust test (D-665A, 24 hrs)	Pass	Pass

APPLICATION:

- Recommended for slideway lubrication of grinders, planers, shapers, horizontal boring machines, knitting machines, jig bores, etc. involving high precision work.

PERFORMANCE BENEFITS:

- Excellent lubrication characteristics
- Minimise stick-slip and chatter, thereby giving improved surface finish to the job
- Reduce oil consumption, due to good adhesive characteristics of the oil
- Provide protection from rust and corrosion
- Permit higher loading of machine tools

(Version # 1 April 14th 2008)

Disclaimer: APAR makes no warranties, representation or conditions of any kind expressed or implied for use with respect to these products. Final determination of suitability of the products for the application contemplated by the user is solely their responsibility.